Safety Data Sheet



SECTION 1: Product and company identification

Product name : Full Spectrum Disinfectant Wipes

Use of the substance/mixture : Premoistened wipe

Product code : 1616

Company : Total Solutions P.O. Box 240014

Milwaukee, WI 53224 - USA

T (414) 354-6417

Emergency number : Chemtec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Corr. 1A H314 Carc. 2 H351

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS05 GHS

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes severe skin burns and eye damage

Suspected of causing cancer

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not breathe mist, spray Wash thoroughly after handling

Wear eye protection, protective clothing, protective gloves If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If exposed or concerned: Get medical advice/attention Immediately call a doctor, a POISON CENTER Wash contaminated clothing before reuse

Store locked up

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

J.L. Mixtui C			
Name	Product identifier	%	Classification (GHS-US)
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	(CAS No) 112-34-5	7-13	Eye Irrit. 2A, H319
tetrasodium ethylenediaminetetracetate	(CAS No) 64-02-8	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Date of issue: 8/10/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 1 of 6

Safety Data Sheet



Name	Product identifier	%	Classification (GHS-US)
trisodium nitrilotriacetate	(CAS No) 5064-31-3	0.01-1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Carc. 2, H351

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. May cause cancer.

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin. Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion : May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints.

Nausea. Diarrhea. Vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling Precautions for safe handling

: Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not eat, drink or smoke when using

this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

Date of issue: 8/10/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 2 of 6

Safety Data Sheet



7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store locked up.

Incompatible products : strong acids. Oxidizing agents.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-(2-butoxyethoxy)ethan	ol, diethylene glyco	I monobutyl ether	(112-34-5)
-------------------------	----------------------	-------------------	------------

ACGIH ACGIH TWA (ppm) 10 ppm

8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.









SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : White wipe impregnated with a colorless liquid.

Odor : Mild odor

Odor threshold : No data available

pH : 11.5 - 12.5 - Tested using the liquid component of the towelette.

Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : > 200 °F Closed Cup. - Tested using the liquid component of the towelette.

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available : No data available Explosive properties Oxidizing properties No data available Vapor pressure : No data available Relative density No data available Relative vapor density at 20 °C : No data available

Specific gravity / density : 1.01 g/ml - Tested using the liquid component of the towelette.

Solubility : Liquid component is soluble in water.

Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

VOC content : < 0.5 % - Tested using the liquid component of the towelette.

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Stable under normal conditions.

Date of issue: 8/10/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 3 of 6

Safety Data Sheet



10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

strong acids. Oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

tetrasodium ethylenediaminetetracetate (64-02-8)

LD50 oral rat	> 2000 mg/kg (Rat)	
ATE CLP (oral)	500.000 mg/kg body weight	
trisodium nitrilotriacetate (5064-31-3)	trisodium nitrilotriacetate (5064-31-3)	
LD50 oral rat	1740 mg/kg rat, male and female	
LD50 dermal rabbit	> 2000 mg/kg	
ATE CLP (oral)	500.000 mg/kg body weight	

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 11.5 - 12.5 - Tested using the liquid component of the towelette.

Serious eye damage/irritation : Not classified.

pH: 11.5 - 12.5 - Tested using the liquid component of the towelette.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

trisodium nitrilotriacetate ((5064-31-3)
-------------------------------	-------------

IARC group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin. Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion : May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhea. Vomiting.

SECTION 12: Ecological information

12.1. Toxicity

tetrasodium ethylenediaminetetracetate (64-02-8)		
LC50 fish 1 121 mg/l (96 h; Lepomis macrochirus; Soft water)		
EC50 Daphnia 1 625 mg/l (24 h; Daphnia magna)		
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)	
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)	
trisodium nitrilotriacetate (5064-31-3)		
LC50 fish 1	114 mg/l Pimephales promelas (fathead minnow); Test Type: flow-through test	
EC50 Daphnia 1 > 100 mg/l Daphnia magna (Water flea); Test Type: static test		
ErC50 (algae) 91.5 mg/l Desmodesmus subspicatus (green algae); Exposure time: 72 h; Test Type: static test; Method: OECD Test Guideline 201		

12.2. Persistence and degradability

tetrasodium ethylenediaminetetracetate (64-02-8)

Date of issue: 8/10/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 4 of 6

Safety Data Sheet



tetrasodium ethylenediaminetetracetate (64-02-8)		
Persistence and degradability	Not readily biodegradable in water.	
Biochemical oxygen demand (BOD)	< 0.002 g O /g substance	
Chemical oxygen demand (COD)	0.54 - 0.58 g O /g substance	

12.3. Bioaccumulative potential

tetrasodium ethylenediaminetetracetate (64-02-8)	
Log Pow	-2.6
Bioaccumulative potential	Bioaccumulation: not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not flush wipes.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

$2^{-1}2^{-1}$ but only be that individually be the first $10^{-1}2^{-1$	2-6	(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	(CAS No) 112-34-5	7-13	
--	-----	--	-------------------	------	--

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer

Date of issue: 8/10/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 5 of 6

Safety Data Sheet

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 8/10/2015
 Revision date: 05/15/2015
 Version: 1.0
 P GHS SDS
 Page 6 of 6